

Transparent Mechanical Style Fast Car Charger

125W Digital Display Car Charger--Icicle Series



125W High Power



PD+ Dual QC



Transparent Design



With LED Ambient Light


Transparent Mechanical Design

The transparent shell seals the circuit crystal, clearly
display of precise components.




With LED Ambient Light

After powered on and the warm LED lights on,
fantastic mechanical style.



Show IC Chip Clearly

360° full presentation of IC chip, a panoramic
view of inner structure.



Transparent Design Display Confidence in Quality

The transparent shell seals the circuit crystal,
and the precise structure is clear at a glance.



125W High Power 3 Fast Outputs

Support 3 ports independent fast charging at the same time, convenient & time-saving.



Type-C output: 65W

USB1 output: 30W

Type-C+USB1+USB2 output:
45W+30W+30W

USB2 output: 30W

PD 65W Fast Charge For Apple Devices

For MacBook Pro 13-inch
75% charged in about 1 hour

*Using with Type-C to Type-C
100W PD fast charging cable.



For iPad Pro 11-inch
Get fully charged in
about 2.4 hours

*Using with Type-C to Type-C
30W PD fast charging cable.



For iPhone 8-13 models
Up to 50% charge in
about 30 mins

*Using with Type-C to Lightning
PD fast charging cable.



*The data is from USAMS and might have small deviation in actual use.

For Huawei/Xiaomi /Samsung Wide Compatibility

The USB ports are compatible with fast charging protocols such as QC/AFC/SCP/FCP/Apple2.4, support quick charging for Huawei/Apple/Xiaomi /Honor/Samsung/OPPO models,etc.



*The data is from USAMS and might have small deviation in actual use.

Digital Display of Voltage

HD LED screen real-time digital displays voltage data, easy to check car battery safety at any time.



12V-input Car Models

< 11.6V or > 14.8V

Abnormal voltage,
please check

11.6V-12.8V

Normal voltage
before startup

11.6V-14.8V

Normal voltage
after startup

24V-input Car Models

< 23.2V or > 27.2V

Abnormal voltage,
please check

23.2V-25.6V

Normal voltage
before startup

23.2V-27.2V

Normal voltage
after startup


Low-temperature Quick Charge

Real-time temperature control chip, strong heat dissipation,
low temperature in the charging process,
stable performance.



Gold-plated Dome Stable Performance

Firmly lock cigarette lighter port, good
contact and stable conductivity, safe in use.



12V-24V Wide Compatibility

Support 12V-24V voltage input,
applicable for most cars with cigarette lighter.



Attention: The product is only applicable for most cars with cigarette lighter and 12V-24V voltage input, and inapplicable for trucks, excavators or others which have voltage higher than 24V.

Product information

Brand	Model
USAMS	US-CC158

Name

125W 3 Ports Transparent Digital Display Fast Car Charger--Icicle Series

Color	Material
Black/Blue	Zinc Alloy + ABS

Size	Weight
73.1*48*31mm	About 55g

Input	USB1+USB2 Output
DC 12-24V	30W+30W

Type-C Output

5V \approx 3A 9V \approx 3A 12V \approx 3A 15V \approx 3A 20V \approx 3.25A
(65W Max)

USB1/2 Output

5V \approx 3A 9V \approx 3A 12V \approx 2.5A (30W Max)

Type-C+USB1 Output	Type-C+USB2 Output
45W+30W	65W+30W

Type-C+USB1+USB2 Output: 45W+30W+30W (105W Max)
Compatibility: For digital devices